


*** STANDARD EXPANDED METAL**



Size (in.) and style number	Lbs. Per 100 Sq Ft	Ctr to Ctr of Bond (In.)		Size of Opening (In.)		Size of Strand (In.)		Overall Thick (In.)
		A	B	C	D	Width	Thick	
		Width	Length	Width	Length			
3/16 – No. 24	50	0.200	0.500	0.166	0.437	0.050	0.024	0.086
3/16 – No. 22	62	0.200	0.500	0.166	0.437	0.050	0.030	0.088
3/16 – No. 20	75	0.200	0.500	0.166	0.437	0.050	0.036	0.090
1/4 – No. 20	86	0.255	1.000	0.172	0.719	0.073	0.036	0.125
1/4 – No. 18	114	0.255	1.000	0.172	0.719	0.073	0.048	0.125
1/2 – No. 20	43	0.500	1.200	0.438	0.938	0.072	0.036	0.124
1/2 – No. 18	70	0.500	1.200	0.438	0.938	0.088	0.048	0.155
1/2 – No. 16	86	0.500	1.200	0.375	0.938	0.086	0.060	0.157
1/2 – No. 13	147	0.500	1.200	0.313	0.938	0.096	0.092	0.182
3/4 – No. 16	54	0.923	2.000	0.813	1.750	0.099	0.060	0.186
3/4 – No. 13	80	0.923	2.000	0.750	1.688	0.096	0.092	0.195
3/4 – No. 10	120	0.923	2.000	0.750	1.625	0.144	0.092	0.282
3/4 – No. 9	180	0.923	2.000	0.688	1.563	0.148	0.134	0.300
1 – No. 16	44	1.090	2.400	1.000	2.063	0.096	0.060	0.182
1-1/2 – No. 18	20	1.330	3.000	1.313	2.625	0.067	0.048	0.140
1-1/2 – No. 16	40	1.330	3.000	1.250	2.625	0.107	0.060	0.211
1-1/2 – No. 13	60	1.330	3.000	1.188	2.500	0.104	0.092	0.215
1-1/2 – No. 10	79	1.330	3.000	1.188	2.500	0.137	0.092	0.289
1-1/2 – No. 9	120	1.330	3.000	1.125	2.375	0.142	0.134	0.295
1-1/2 – No. 6	250	1.330	3.000	1.000	2.313	0.201	0.198	0.425
2 – No. 10	68	1.850	4.000	1.625	3.438	0.164	0.092	0.312
2 – No. 9	90	1.850	4.000	1.563	3.375	0.149	0.134	0.325




* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.

*** FLATTENED EXPANDED METAL**



Size (in.) and style number	Lbs. Per 100 Sq Ft	Ctr to Ctr of Bond (In.)		Size of Opening (In.)		Size of Strand (In.)		Overall Thick (In.)
		A	B	C	D	Width	Thick	
		Width	Length	Width	Length			
3/16 – No. 24	48	0.200	0.520	0.085	0.459	0.057	0.019	0.019
3/16 – No. 22	60	0.200	0.520	0.085	0.459	0.057	0.024	0.024
3/16 – No. 20	72	0.200	0.520	0.085	0.459	0.057	0.029	0.029
1/4 – No. 20	83	0.255	1.030	0.094	0.688	0.086	0.030	0.030
1/4 – No. 18	111	0.255	1.030	0.094	0.688	0.086	0.040	0.040
1/2 – No. 20	40	0.500	1.260	0.375	1.000	0.070	0.029	0.029
1/2 – No. 18	66	0.500	1.260	0.281	1.000	0.109	0.039	0.039
1/2 – No. 16	82	0.500	1.260	0.250	1.000	0.103	0.050	0.050
1/2 – No. 13	140	0.500	1.260	0.250	1.000	0.122	0.070	0.070
3/4 – No. 16	51	0.923	2.100	0.750	1.750	0.115	0.048	0.048
3/4 – No. 14	63	0.923	2.120	0.688	1.813	0.119	0.061	0.061
3/4 – No. 13	75	0.923	2.100	0.688	1.782	0.119	0.070	0.070
3/4 – No. 9	171	0.923	2.120	0.563	1.688	0.164	0.120	0.120
1 – No. 16	41	1.090	2.560	0.875	2.250	0.115	0.048	0.048
1-1/2 – No. 16	38	1.330	3.200	1.063	2.750	0.123	0.048	0.048
1-1/2 – No. 14	46	1.330	3.200	1.063	2.750	0.138	0.060	0.060
1-1/2 – No. 13	57	1.330	3.200	1.063	2.750	0.138	0.070	0.070
1-1/2 – No. 9	111	1.330	3.200	1.000	2.563	0.175	0.110	0.110




*** EXPANDED METAL GRATING**

Style	Lbs. Per 100 Sq Ft	Ctr to Ctr of Bond (In.)		Size of Opening (In.)		Size of Strand (In.)		Overall Thick (In.)
		A	B	C	D	Width	Thick	
		Width	Length	Width	Length			
3 lb.	300	1.333	5.330	0.938	3.438	0.261	0.183	0.500
3.14 lb.	314	2.000	6.000	1.625	4.875	0.308	0.250	0.562
4 lb.	400	1.333	5.330	0.938	3.438	0.297	0.215	0.625
4.27 lb.	427	1.412	4.000	1.000	2.875	0.297	0.250	0.625
5 lb.	500	1.333	5.333	0.813	3.375	0.327	0.250	0.625
6.25 lb.	625	1.412	5.330	0.813	3.375	0.347	0.312	0.750
7 lb.	700	1.412	5.330	0.813	3.375	0.388	0.312	0.750

* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.

*** BAR GRATING**

Bearing Bar (in.)	Lbs per Sq	
	Ft	
3/4 x 1/8	3.9	
3/4 x 3/16	5.5	
1 x 1/8	4.9	
1 x 3/16 std.	7.1	
1 x 1/4	9.2	
1-1/4 x 1/8	6	
1-1/4 x 3/16 std. i	8.7	
1-1/4 x 1/4	11.4	
1-1/2 x 1/8	7.1	
1-1/2 x 3/16	10.3	
1-1/2 x 1/4	13.5	
1-3/4 x 3/16	12.1	
1-3/4 x 1/4	15.7	
2 x 3/16	13.8	
2 x 1/4	18.1	
2-1/4 x 3/16	14.8	
2-1/4 x 1/4	20	
2-1/2 x 3/16	17	
2-1/2 x 1/4	22.1	



* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.