



*** SQUARE TUBING**



Side	Wall		Lbs. Per Ft
	(In.)	(GA)	
3/4 x 3/4	x 0.063	16GA	0.606
	x 0.083	14GA	0.753
	x 0.120	11GA	1.028
1 x 1	x 0.063	16GA	0.827
	x 0.083	14GA	1.034
	x 0.120	11GA	1.448
1 1/4 x 1 1/4	x 0.063	16GA	1.048
	x 0.083	14GA	1.317
	x 0.120	11GA	1.846
1 1/2 x 1 1/2	x 0.063	16GA	1.269
	x 0.083	14GA	1.611
	x 0.120	11GA	2.252
	x 0.188	3/16	3.350
	x 0.250	1/4	4.070
2 x 2	x 0.063	16GA	1.711
	x 0.083	14GA	2.166
	x 0.120	11GA	3.070
	x 0.134	10GA	3.401
	x 0.188	3/16	4.320
	x 0.250	1/4	5.410
	2 1/2 x 2 1/2	x 0.083	14GA
x 0.120		11GA	3.910
x 0.188		3/16	5.610
x 0.250		1/4	7.110
3 x 3		x 0.12	11GA
	x 3/16	3/16	6.890
	x 1/4	1/4	8.810
	x 5/16	5/16	10.590
	x 3/8	3/8	12.160
3 1/2 x 3 1/2	x 0.120	11GA	5.610
	x 3/16	3/16	8.170
	x 1/4	1/4	10.510
	x 5/16	5/16	12.700
	x 3/8	3/8	14.710
4 x 4	x 0.120	11GA	4.760
	x 3/16	3/16	9.450
	x 1/4	1/4	12.210
	x 5/16	5/16	14.830
	x 3/8	3/8	17.270
5 x 5	x 1/2	1/2	21.630
	x 3/16	3/16	12.000
	x 1/4	1/4	15.620
	x 5/16	5/16	19.080
	x 3/8	3/8	22.370
	x 1/2	1/2	28.430





* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.

*** SQUARE TUBING**



Side	Wall		Lbs. Per Ft
	(In.)	(GA)	
6 x 6	x 3/16	3/16	14.560
	x 1/4	1/4	19.020
	x 5/16	5/16	23.340
	x 3/8	3/8	27.480
	x 1/2	1/2	35.240
	x 5/8	5/8	43.670
7 x 7	x 3/16	3/16	17.130
	x 1/4	1/4	22.420
	x 3/8	3/8	32.580
	x 1/2	1/2	42.050
	x 5/8	5/8	50.770
8 x 8	x 3/16	3/16	19.630
	x 1/4	1/4	25.820
	x 5/16	5/16	31.840
	x 3/8	3/8	37.690
	x 1/2	1/2	48.850
	x 5/8	5/8	59.320
9 x 9	x 3/16	3/16	22.180
	x 1/4	1/4	29.230
	x 5/16	5/16	36.100
	x 3/8	3/8	42.790
	x 1/2	1/2	55.660
10 x 10	x 5/8	5/8	67.820
	x 3/16	3/16	24.730
	x 1/4	1/4	32.630
	x 5/16	5/16	40.350
	x 3/8	3/8	47.900
	x 1/2	1/2	62.460
12 x 12	x 5/8	5/8	76.330
	x 3/16	3/16	29.840
	x 1/4	1/4	39.430
	x 5/16	5/16	48.860
	x 3/8	3/8	58.100
14 x 14	x 1/2	1/2	76.070
	x 5/8	5/8	93.360
	x 5/16	5/16	57.360
	x 3/8	3/8	68.310
16 x 16	x 1/2	1/2	89.680
	x 5/8	5/8	110.360
	x 5/16	5/16	65.870
	x 3/8	3/8	78.520
	x 1/2	1/2	103.300
	x 5/8	5/8	127.370





* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.

*** RECTANGULAR TUBING**



Side (1)	Side (2)	Wall		Lbs. Per Ft
		(In.)	(GA)	
2	x 1	0.063	16GA	1.269
	x 1	0.083	14GA	1.611
	x 1	0.120	11GA	2.252
	x 1	0.188	3/16	3.350
	x 1-1/2	0.083	14GA	1.882
	x 1-1/2	0.120	11GA	2.660
	x 1-1/2	0.188	3/16	3.893
2-1/2	x 1	0.063	16GA	1.450
	x 1	0.083	14GA	1.820
	x 1	0.120	11GA	2.660
	x 1	0.188	3/16	3.893
	x 1-1/2	0.083	14GA	2.110
	x 1-1/2	0.120	11GA	3.060
	x 1-1/2	0.188	3/16	4.320
	x 1-1/2	0.250	1/4	5.410
	x 2	0.120	11GA	3.480
	x 2	0.188	3/16	5.067
3	x 1	0.063	16GA	1.670
	x 1	0.083	14GA	2.140
	x 1	0.120	11GA	3.060
	x 1	0.188	3/16	4.320
	x 1-1/2	0.083	14GA	2.446
	x 1-1/2	0.120	11GA	3.480
	x 1-1/2	0.188	3/16	5.067
	x 1-1/2	0.250	1/4	6.260
	x 2	0.083	14GA	2.728
	x 2	0.120	11GA	3.910
	x 2	0.188	3/16	5.610
	x 2	0.250	1/4	7.110
3-1/2	x 1-1/2	0.120	11GA	3.910
	x 1-1/2	0.188	3/16	5.610
	x 2-1/2	0.120	11GA	4.760
	x 2-1/2	0.188	3/16	6.890
	x 2-1/2	0.250	1/4	8.810
4	x 2	0.083	14GA	3.293
	x 2	0.120	11GA	4.750
	x 2	0.188	3/16	6.890
	x 2	0.250	1/4	8.810
	x 2	0.313	5/16	10.580
	x 2	0.375	3/8	12.170
	x 3	0.120	11GA	5.610
	x 3	0.188	3/16	8.170
	x 3	0.250	1/4	10.510





* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.

*** RECTANGULAR TUBING**



Side (1)	Side (2)	Wall		Lbs. Per Ft
		(In.)	(GA)	
4	x 3	0.313	5/16	12.700
	x 3	0.375	3/8	14.720
5	x 2	0.120	11GA	5.610
	x 2	0.188	3/16	8.170
	x 2	0.250	1/4	10.510
	x 2	0.313	5/16	12.700
	x 2	0.375	3/8	14.720
	x 3	0.120	11GA	6.460
	x 3	0.188	3/16	9.450
	x 3	0.250	1/4	12.210
	x 3	0.313	5/16	14.830
	x 3	0.375	3/8	17.270
	x 3	0.500	1/2	21.630
6	x 2	0.120	11GA	6.460
	x 2	0.188	3/16	9.450
	x 2	0.250	1/4	12.210
	x 2	0.313	5/16	14.830
	x 2	0.375	3/8	17.270
	x 3	0.120	11GA	7.310
	x 3	0.188	3/16	10.700
	x 3	0.250	1/4	13.910
	x 3	0.313	5/16	16.960
	x 3	0.375	3/8	19.820
	x 3	0.500	1/2	24.280
	x 4	0.120	11GA	8.160
	x 4	0.188	3/16	12.000
	x 4	0.250	1/4	15.620
	x 4	0.313	5/16	19.080
	x 4	0.375	3/8	22.370
	x 4	0.500	1/2	28.430
7	x 3	0.120	11GA	8.160
	x 3	0.188	3/16	12.000
	x 3	0.250	1/4	15.620
	x 3	0.313	5/16	19.080
	x 3	0.375	3/8	22.370
	x 3	0.500	1/2	28.430
	x 4	0.120	11GA	9.010
	x 4	0.188	3/16	13.300
	x 4	0.250	1/4	17.320
	x 4	0.313	5/16	21.220
	x 4	0.375	3/8	24.930
	x 4	0.500	1/2	31.840
	x 5	0.120	11GA	9.860





* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.

*** RECTANGULAR TUBING**



Side (1)	Side (2)	Wall		Lbs. Per Ft
		(In.)	(GA)	
7	x 5	0.188	3/16	14.560
	x 5	0.250	1/4	19.020
	x 5	0.313	5/16	23.340
	x 5	0.375	3/8	27.480
	x 5	0.500	1/2	35.240
8	x 2	0.120	11GA	8.160
	x 2	0.188	3/16	12.000
	x 2	0.250	1/4	15.620
	x 2	0.313	5/16	19.080
	x 2	0.375	3/8	22.370
	x 3	0.120	11GA	9.010
	x 3	0.188	3/16	13.300
	x 3	0.250	1/4	17.320
	x 3	0.313	5/16	21.220
	x 3	0.375	3/8	24.930
	x 3	0.500	1/2	31.840
	x 4	0.120	11GA	9.860
	x 4	0.188	3/16	14.560
	x 4	0.250	1/4	19.020
	x 4	0.313	5/16	23.340
	x 4	0.375	3/8	27.480
	x 4	0.500	1/2	35.240
	x 6	0.188	3/16	17.130
	x 6	0.250	1/4	22.420
	x 6	0.313	5/16	27.630
	x 6	0.375	3/8	32.580
	x 6	0.500	1/2	42.050
	x 6	0.625	5/8	50.810
10	x 2	0.120	11GA	9.860
	x 2	0.188	3/16	14.560
	x 2	0.250	1/4	19.020
	x 2	0.313	5/16	23.340
	x 2	0.375	3/8	27.480
	x 3	0.120	11GA	10.710
	x 3	0.188	3/16	15.800
	x 3	0.250	1/4	20.720
	x 3	0.313	5/16	25.480
	x 3	0.375	3/8	30.030
	x 3-1/2	0.120	11GA	11.130
	x 3-1/2	0.188	3/16	16.470
	x 3-1/2	0.250	1/4	21.570
	x 3-1/2	0.313	5/16	26.530
	x 3-1/2	0.375	3/8	31.310





* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.

*** RECTANGULAR TUBING**



Side (1)	Side (2)	Wall		Lbs. Per Ft
		(In.)	(GA)	
10	x 4	0.188	3/16	17.130
	x 4	0.250	1/4	22.420
	x 4	0.313	5/16	27.630
	x 4	0.375	3/8	32.580
	x 4	0.500	1/2	42.050
	x 6	0.188	3/16	19.630
	x 6	0.250	1/4	25.820
	x 6	0.313	5/16	31.840
	x 6	0.375	3/8	37.690
	x 6	0.500	1/2	48.850
	x 6	0.625	5/8	59.320
	x 8	0.188	3/16	22.180
	x 8	0.250	1/4	29.230
	x 8	0.313	5/16	36.120
	x 8	0.375	3/8	42.790
	x 8	0.500	1/2	55.660
	x 8	0.625	5/8	67.820
12	x 4	0.188	3/16	19.630
	x 4	0.250	1/4	25.820
	x 4	0.313	5/16	31.840
	x 4	0.375	3/8	37.690
	x 4	0.500	1/2	48.850
	x 4	0.625	5/8	59.320
	x 6	0.188	3/16	22.180
	x 6	0.250	1/4	29.230
	x 6	0.313	5/16	36.120
	x 6	0.375	3/8	42.790
	x 6	0.500	1/2	55.660
	x 6	0.625	5/8	67.820
12	x 8	0.188	3/16	24.730
	x 8	0.250	1/4	32.630
	x 8	0.313	5/16	40.350
	x 8	0.375	3/8	47.900
	x 8	0.500	1/2	62.460
	x 8	0.625	5/8	76.330
14	x 4	0.250	1/4	29.230
	x 4	0.313	5/16	36.120
	x 4	0.375	3/8	42.790
	x 4	0.500	1/2	55.660
	x 6	0.250	1/4	32.630
	x 6	0.313	5/16	40.350
	x 6	0.375	3/8	47.900
	x 6	0.500	1/2	62.460





* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.

*** RECTANGULAR TUBING**



Side (1)	Side (2)	Wall		Lbs. Per Ft
		(In.)	(GA)	
14	x 6	0.625	5/8	76.330
	x 10	0.250	1/4	39.430
	x 10	0.313	5/16	48.860
	x 10	0.375	3/8	58.100
	x 10	0.500	1/2	76.070
	x 10	0.625	5/8	93.360
16	x 4	0.250	1/4	32.630
	x 4	0.313	5/16	40.350
	x 4	0.375	3/8	47.900
	x 4	0.500	1/2	62.460
	x 8	0.250	1/4	39.430
	x 8	0.313	5/16	48.860
18	x 8	0.375	3/8	58.100
	x 8	0.5	1/2	76.070
	x 8	0.625	5/8	93.360
	x 12	0.313	5/16	57.360
	x 12	0.375	3/8	68.310
	x 12	0.5	1/2	89.680
20	x 12	0.625	5/8	110.360
	x 6	0.250	1/4	39.430
	x 6	0.313	5/16	48.860
	x 6	0.375	3/8	58.100
	x 6	0.500	1/2	76.070
	x 6	0.625	5/8	93.360
20	x 4	0.250	1/4	39.430
	x 4	0.313	5/16	48.860
	x 4	0.375	3/8	58.100
	x 4	0.500	1/2	76.070
	x 8	0.313	5/16	57.360
	x 8	0.375	3/8	68.310
	x 8	0.500	1/2	89.680
	x 8	0.625	5/8	110.360
	x 12	0.313	5/16	65.870
	x 12	0.375	3/8	78.520
	x 12	0.500	1/2	103.300
	x 12	0.625	5/8	127.370



* Information provided for reference only. Not intended for engineering calculation. Please consult your engineer for product suitability for application. No warranty as to accuracy.